

CQ16-1 (unGRADE)

P: Patients with sepsis/ septic shock

I: Use of mechanical thromboprophylaxis

C: No intervention

O: Deep vein thrombosis, pulmonary embolism

	JUDGEMENT						
PROBLEM	No	Probably no	Probably yes	<b>Yes</b>		Varies	Don't know
DESIRABLE EFFECTS	Trivial	Small	<b>Moderate</b>	Large		Varies	Don't know
UNDESIRABLE EFFECTS	Large	Moderate	<b>Small</b>	Trivial		Varies	Don't know
CERTAINTY OF EVIDENCE	Very low	Low	Moderate	High			<b>No included studies</b>
VALUES	Important uncertainty or variability	Possibly important uncertainty or variability	<b>Probably no important uncertainty or variability</b>	No important uncertainty or variability			
BALANCE OF EFFECTS	Favors the comparison	Probably favors the comparison	Does not favor either the intervention or the comparison	<b>Probably favors the intervention</b>	Favors the intervention	Varies	Don't know
ACCEPTABILITY	No	Probably no	<b>Probably yes</b>	Yes		Varies	Don't know
FEASIBILITY	No	Probably no	<b>Probably yes</b>	Yes		Varies	Don't know

CQ16-2 (unGRADE)

P: Patients with sepsis/ septic shock

I: Use of UFH/ LMWH/ NOAC/ DOAC

C: No intervention

O: Deep vein thrombosis, pulmonary embolism

	JUDGEMENT						
PROBLEM	No	Probably no	Probably yes	<b>Yes</b>		Varies	Don't know
DESIRABLE EFFECTS	Trivial	Small	<b>Moderate</b>	Large		Varies	Don't know
UNDESIRABLE EFFECTS	Large	Moderate	<b>Small</b>	Trivial		Varies	Don't know
CERTAINTY OF EVIDENCE	Very low	Low	Moderate	High			<b>No included studies</b>
VALUES	Important uncertainty or variability	Possibly important uncertainty or variability	<b>Probably no important uncertainty or variability</b>	No important uncertainty or variability			
BALANCE OF EFFECTS	Favors the comparison	Probably favors the comparison	Does not favor either the intervention or the comparison	<b>Probably favors the intervention</b>	Favors the intervention	Varies	Don't know
ACCEPTABILITY	No	Probably no	<b>Probably yes</b>	Yes		Varies	Don't know
FEASIBILITY	No	Probably no	Probably yes	<b>Yes</b>		Varies	Don't know

CQ16-3 (unGRADE)

P: Patients with sepsis/ septic shock

I: Use of mechanical thromboprophylaxis or anticoagulant therapy until initiation of mobilization/ during hospital stay

C: Mechanical thromboprophylaxis or anticoagulant therapy was continued after initiation of mobilization/ hospital discharge

O: Deep vein thrombosis, pulmonary embolism

	JUDGEMENT						
PROBLEM	No	Probably no	Probably yes	<b>Yes</b>		Varies	Don't know
DESIRABLE EFFECTS	Trivial	Small	<b>Moderate</b>	Large		Varies	Don't know
UNDESIRABLE EFFECTS	Large	Moderate	<b>Small</b>	Trivial		Varies	Don't know
CERTAINTY OF EVIDENCE	Very low	Low	Moderate	High			<b>No included studies</b>
VALUES	Important uncertainty or variability	<b>Possibly important uncertainty or variability</b>	Probably no important uncertainty or variability	No important uncertainty or variability			
BALANCE OF EFFECTS	Favors the comparison	Probably favors the comparison	Does not favor either the intervention or the comparison	<b>Probably favors the intervention</b>	Favors the intervention	Varies	Don't know
ACCEPTABILITY	No	Probably no	Probably yes	<b>Yes</b>		Varies	Don't know
FEASIBILITY	No	Probably no	Probably yes	<b>Yes</b>		Varies	Don't know